HED Records Center Series 361 Science Reviews - File R084220 - Page 1 of 5



# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

DEC 1.8 1989

OFFICE OF
PESTICIDES AND TOXIC SUBSTANCES

#### **MEMORANDUM**

SUBJECT: Dietary Exposure Analysis for the Proposed Use of

Myclobutanil in/on Almonds and Almond Hulls, PP#9G3786.

TAR 11/18/89

FROM: Rita Briggs, Ph.D. R.3

Dietary Risk Evaluation System (DRES) Staff

HED/SACB (H7509C)

THROUGH: J. Robert Tomerlin, Ph.D.

Acting DRES Program Manager

HED/SACB (H7509C)

TO: Susan Lewis/Chambliss, PM Team 21

Insecticide-Rodenticide Branch

Registration Division

### Action Requested

To estimate dietary exposure to myclobutanil using published tolerances and the proposed experimental use permit (EUP) on almonds.

#### Discussion

- 1. <u>Toxicology Endpoint</u>: The routine chronic DRES analysis used a reference dose (ADI) of 0.025 mg/kg body weight/day, based upon a NOEL of 2.49 mg/kg body weight/day and an uncertainty factor of 100 from a 2-year rat feeding study. This value has been approved by HED (01/27/88) and Agency (02/25/88) reference dose committees.
- Residue Information: Food uses evaluated were published tolerances for almonds from 40 CFR 180.443, 185.4350 and 186.4350 and the temporary tolerance (0.1 ppm) incurred under the experimental use permit. Since almond hulls are an animal feed and the established tolerances for residues in meat, milk, poultry and eggs are considered by DEB to be adequate to cover secondary residues (J. Smith memo, 12/6/89), the tolerance on almond hulls was not included in the present analysis. A summary of the residue information used in the analysis is attached as Table 1.
- 3. Exposure Analysis: The DRES chronic exposure analysis uses tolerance level residues and 100 per cent crop treated to estimate the Theoretical Maximum Residue Contribution (TMRC) for the overall U.S. population and 22 population subgroups. TMRC summaries for

Myclobutanil Dietary Exposure Analysis, page 2

all DRES population groups are shown in Table 2 and discussed in the next section.

4. <u>Dietary Risk Assessment</u>: The revised DRES analysis which includes the proposed temporary tolerance for residues of myclobutanil in/on almonds indicates that dietary exposures do not exceed the reference dose (ADI) for any of the population groups. Table 2 shows that the total exposure estimate for the overall U.S. population is 0.001470 mg/kg/day which represents 5.9% of the ADI. The total exposure estimates for the two most highly exposed suhgroups, non-nursing infants and children aged 1-6, are 31% and 18% of the ADI, respectively. The proposed temporary tolerance adds approximately 0.000001 mg/kg/day to the total exposure for each of the DRES population groups. This represents no more than 0.002% of the ADI. Therefore, the incremental exposures to myclobutanil from the proposed temporary tolerances on almonds are negligible.

#### Attachments

cc: DRES (Tomerlin), DEB (Loranger), Caswell #723K, TOX (Hurley)

## TABLE 1

CHEMICAL INFORMATION FOR CASWELL NUMBER 723K

DATE: 12/11/89

PAGE:

1

CHEMICAL	STUDY TYPE	EFFECTS	REFERENCE DOSES	DATA GAPS/COMMENTS	STATUS
Myclobutanil (Rally/Systane) Caswell #723K CAS No. 88671-89-0 A.I. CODE: 128857 CFR No. 180.	2yr feeding- rat   NOEL= 2.4900 mg/kg   50.00 ppm   LEL= 9.8400 mg/kg   200.00 ppm   ONCO: Negative- 2 species.	Testicular atrophy.  No evidence of oncogenicity in rats or mice; however MTD's may not have been reached.		No data gaps.     ADI based on actual food   consumption.	HED complete 04/10/87. HED reassess 01/27/88. EPA verified 02/25/88. On IRIS.

FOOD		PETITION		TOLERANCE (PF	PM)	
CODE	FOOD NAME	NUMBER	NEW	PENDING	PUBL I SHED	
01014AA	GRAPES-FRESH	7F3476			1.000000	
01014DA	GRAPES-RAISINS	7H5524			10.00000	H
01014JA	GRAPES-JUICE	7F3476			1.000000	
03001AA	ALMONDS	9G3786	0.100000			
04001AA	APPLES-FRESH	7F3476			0.500000	
04001DA	APPLES-DRIED	7F3476			0.500000	
04001JA	APPLES-JUICE	7F3476			0.500000	
43058AA	WINE AND SHERRY	7F3476			1.000080	
50000DB	MILK-NON-FAT SOLIDS	7F34 <b>7</b> 6			0.050000	
50000FA	MILK-FAT SOLIDS	7F3476			0.050000	
50000SA	MILK SUGAR (LACTOSE)	7F <b>3</b> 4 <b>7</b> 6			0.050000	
53001BA	BEEF-MEAT BYPRODUCTS	7F3476			0.050000	
53001BB	BEEF(ORGAN MEATS)-OTHER	7F3476			0.050000	
53001DA	BEEF-DRIED	7F3476			0.050000	
53001FA	BEEF(BONELESS)-FAT (BEEF TALLOW)	7F3476			0.050000	
53001KA	BEEF(ORGAN MEATS)-KIDNEY	7F3476			0.050000	
53001LA	BEEF(ORGAN MEATS)-LIVER	7F3476			0.300000	
53001MA	BEEF(BONELESS)-LEAN (W/O REMOVEABLE FAT)	7F3476			0.050000	
53002BA	GOAT-MEAT BYPRODUCTS	7F3476			0.050000	
53002BB	GOAT(ORGAN MEATS)-OTHER	7F3476			0.050000	
53002FA	GOAT (BONELESS) - FAT	7F3476			0.050000	
53002KA	GOAT(ORGAN MEATS)-KIDNEY	7f3476			0.050000	
53002LA	GOAT(ORGAN MEATS)-LIVER	7F34 <b>7</b> 6			0.300000	
53002MA	GOAT(BONELESS)-LEAN (W/O REMOVEABLE FAT)	7f3476			0.050000	
53003AA	HORSE	7F34 <b>7</b> 6			0.050000	
53005BA	SHEEP-MEAT BYPRODUCTS	7F3476			0.050000	
53005BB	SHEEP(ORGAN MEATS)-OTHER	7F3476			0.050000	
53005FA	SHEEP(BONELESS)-FAT	7F3476			0.050000	
53005KA	SHEEP(ORGAN MEATS)-KIDNEY	7f3476			0.050000	
53005LA	SHEEP(ORGAN MEATS)-LIVER	7F3476			0.300000	
53005MA	SHEEP(BONELESS)-LEAN (W/O REMOVEABLE FAT	7F <b>3</b> 476			0.050000	
53006BA	PORK-MEAT BYPRODUCTS	7F3476			0.050000	
53006BB	PORK(ORGAN MEATS)-OTHER	7F3476			0.050000	
53006FA	PORK(BONELESS)-FAT (INCLUDING LARD)	7F3476			0.050000	
53006KA	PORK(ORGAN MEATS)-KIDNEY	7F34 <b>7</b> 6			0.050000	
53006LA	PORK(ORGAN MEATS)-LIVER	7F3476			0.300000	
53006MA	PORK(BONELESS)-LEAN (W/O REMOVEABLE FAT)	7£3476			0.050000	
55008BA	TURKEY-BYPRODUCTS	7£3476			0.020000	
55008LA	TURKEY-GIBLETS (LIVER)	7F3476			0.020000	
55008MA	TURKEY-FLESH(W/O SKIN, W/O BONES)	7F3476			0.020000	

## TABLE 1, continued

#### CHEMICAL INFORMATION FOR CASWELL NUMBER 723K

DATE: 12/11/89

PAGE:

2

CHEMICAL	STUDY TYPE	EFFECTS	REFERENCE DOSES	DATA GAPS/COMMENTS	STATUS
Myclobutanil (Rally/Systane)	2yr feeding- rat	Testicular atrophy.	ADI UF>100	No data gaps.	HED complete 04/10/87.
Caswell #723K	NOEL= 2.4900 mg/kg	<u>-</u>	OPP RfD= 0.025000	ì	HED remasess 01/27/88
CAS No. 88671-89-0	50.00 ppm	No evidence of oncogenic-	EPA RfD= 0.000000	j	EPA verified 02/25/88.
A.I. CODE: 128857	LEL= 9.8400 mg/kg	ity in rats or mice; how-	į.	ADI based on actual food	
CFR No. 180.	200.00 ppm	ever MTD's may not have	į	consumption.	
	ONCO: Negative- 2 species.	been reached.	<u> </u>		On IRIS.

FOOD		PETITION		TOLERANCE (PPM)		
CODE	FOOD NAME	NUMBER	NEM	PENDING	PUBL I SHED	
55008MB	TURKEY-FLESH(+SKIN,W/O BONES)	7F3476			0.020000	
55008MC	TURKEY-UNSPECIFIED	7F3476			0.020000	
55013BA	POULTRY, OTHER-BYPRODUCTS	7F3476			0.020000	
55013LA	POULTRY,OTHER-GIBLETS(LIVER)	7F3476			0.020000	
55013MA	POULTRY, OTHER-FLESH (+SKIN, W/O BONES)	7F3476			0.020000	
55014AA	EGGS-WHOLE	7F3476			0.020000	
55014AB	EGGS-WHITE ONLY	7F3476		•	0.020000	
55014AC	EGGS-YOLK ONLY	7F3476			. 0.020000	
55015BA	CHICKEN-BYPRODUCTS	7F3476			0.020000	
55015LA	CHICKEN-GIBLETS(LIVER)	7F3476			0.020000	
55015MA	CHICKEN-FLESH(W/O SKIN,W/O BONES)	7F3476			0.020000	
55015MB	CHICKEN-FLESH(+SKIN,W/O BONES)	7F3476			0.020000	

£

## HED Records Center Series 361 Science Reviews - File R084220 - Page 5 of 5

## TABLE 2

TOLERANCE ASSESSMENT SYSTEM ROUTINE CHRONIC ANALYSIS

DATE: 12/11/89

PAGE:

_	CHEMICAL INFORMATION	STUDY TYPE	EFFECTS	REFERENCE DOSES	DATA GAPS/COMMENTS	STATUS
1	Myclobutanil (Rally/Systane)	2yr feeding- rat	Testicular atrophy.	ADI UF>100	No data gaps.	HED complete 04/10/87.
	Caswell #723K	NOEL= 2.4900 mg/kg	j	OPP RfD= 0.025000	j - '	HED reassess 01/27/88.
Ì	CAS No. 88671-89-0	58.00 ppm	No evidence of oncogenic-	EPA RfD= 0.000000	1	EPA verified 02/25/88.
Ì	A.I. CODE: 128857	LEL= 9.8400 mg/kg	ity in rats or mice; how-	į	ADI based on actual food	1 -, -, -, -, -, -, -, -, -, -, -, -, -,
Ī	CFR No. 180.	200.00 ppm	ever MTD's may not have	į	consumption.	j
į		ONCO: Negative- 2 species	been reached.			On IRIS.

	TOTAL TMRC (MG/KG BODY WEIGHT/DAY)		NEW TMRC AS PERCENT	DIFFERENCE AS PERCENT	EFFECT OF ANTICIPATED RESIDUES		
POPULATION SUBGROUP	CURRENT TMRC*	NEW TMRC**	OF RFD	OF RFD	ARC	%RFD_	
U.S. POPULATION - 48 STATES	0.001469	0.001470	5.878704	0.001120			
U.S. POPULATION - SPRING SEASON	0.001301	0.001301	5.203012	0.000964			
U.S. POPULATION - SUMMER SEASON	0.001375	0.001376	5.502196	0.000892			
U.S. POPULATION - FALL SEASON	0.001624	0.001624	6.497048	0.001236			
U.S. POPULATION - WINTER SEASON	0.001578	0.001579	6.314124	0.001392			
NORTHEAST REGION	0.001691	0.001691	6.765628	0.000944			
NORTH CENTRAL REGION	0.001440	0.001441	5.762232	0.000904			
SOUTHERN REGION	0.001153	0.001153	4.612652	0.000812			
WESTERN REGION	0.001762	0.001763	7.050852	0.002220			
HISPANICS	0.001583	0.001584	6.334224	0.000344			
NON-HISPANIC WHITES	0.001518	0.001519	6.074392	0.001272			
NON-HISPANIC BLACKS	0.001108	0.001109	4.434472	0.000596			
NON-HISPANIC OTHERS	0.001394	0.001394	5.577432	0.000356			
NURSING INFANTS (< 1 YEAR OLD)	0.003826	0.003826	15.302900	0.000132			
NON-NURSING INFANTS (< 1 YEAR OLD)	0.007767	0.007767	31.069432	0.000856			
FEMALES (13+ YEARS, PREGNANT)	0.001021	0.001021	4.083212	0.000724			
FEMALES 13+ YEARS, NURSING	0.001385	0.001385	5.539564	0.000364			
CHILDREN (1-6 YEARS OLD)	0.004485	0.004486	17.942772	0.001692			
CHILDREN (7-12 YEARS OLD)	0.002172	0.002173	8.691048	0.001444			
MALES (13-19 YEARS OLD)	0.001200	0.001200	4.801376	0.000796			
FEMALES (13-19 YEARS OLD, NOT PREG. OR NURSING)	0.001030	0.001030	4.119640	0.000856			
MALES (20 YEARS AND OLDER)	0.000864	0.000864	3.457832	0.001152			
FEMALES (20 YEARS AND OLDER, NOT PREG. OR NURS)	0.000868	0.000869	3.474696	0.001000			

<sup>\*</sup>Current TMRC does not include new or pending tolerances. \*\*New TMRC includes new, pending, and published tolerances.